

MISSISSIPPI OFFICIAL WOOD DESTROYING INSECT REPORT

Inspection Co.: _____
 Address: _____
 City/State/Zip: _____
 Phone: _____

Case Number (VA/FHA/Other): _____
 Inspector: _____
 ID Number: _____ License Number: _____
 Inspection Date: _____

Party Requesting Inspection _____ Purchaser Seller Agent
 Owner/Seller _____ Structure(s) Inspected _____
 Address _____

Report Forwarded To: Title Company and/or Mortgage Company Purchaser Seller Agent
 List all obstructed or inaccessible areas as listed on Page 2 - SECTION C, 1-4: _____

Conditions conducive to wood destroying insect infestation: Yes No **If yes, explain (Conditions Conducive to wood destroying insects infestation as defined on Page 2 - SECTION D):** _____

Inspection Reveals Visible Evidence of: <i>(Check Each Column Yes or No)</i>	Active Infestation		Previous Infestation		Previous Treatment		Visible Insect Damages	
	Yes	No	Yes	No	Yes	No	Yes	No
Subterranean Termites	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Drywood Termites	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Wood Borer Beetles-specify.....	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Carpenter Bees.....	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Carpenter Ants.....	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Remarks / Additional Findings _____

Structure previously treated by this company: Yes No
 This company has current contract in force: Yes No Expiration Date: _____ Contract Transferable Yes No
 Date of original treatment: _____ Type of insect treatment contract: _____


Buyer should acquire a copy of this contract for terms and type of coverage.

GRAPH MUST BE COMPLETED FOR EVERY STRUCTURE INSPECTED.

Not to Scale

KEY SYMBOLS

- = Subterranean Termite Activity
- X = Subterranean Termite Damage
- = Wood Boring Beetle Activity
- B = Beetle Damage
- = Carpenter Ant Activity
- CA = Carpenter Ant Damage
- = Carpenter Bee Activity
- CB = Carpenter Bee Damage
- = Drywood Termite Activity
- D = Drywood Termite Damage
- C = Conditions Conducive To Wood Destroying Insects



**IMPORTANT-THIS GRAPH IS NOT DRAWN TO SCALE AND ANY EVIDENCE LISTED IS LOCATED IN GENERAL LOCATIONS
 READ AND UNDERSTAND BOTH SIDES OF THIS REPORT.**

Additional Comments: _____

Inspector's Signature: _____ Date: _____
 Licensee or Permit Holder's Signature of Approval: _____ Date: _____

Notice of inspection was posted at or near: Access Opening Water Heater Beneath Kitchen Sink Date Posted: _____

I HAVE RECEIVED THE ORIGINAL OR A LEGIBLE COPY OF THIS FORM, HAVE READ, AND UNDERSTAND SAME.

Signature of Individual Purchasing Property: _____ Date _____

STATEMENT OF PEST CONTROL OPERATOR

- A. THIS REPORT CERTIFIES AS TO THE PRESENCE, ABSENCE, PREVIOUS INFESTATION AND DAMAGE CAUSED BY WOOD DESTROYING INSECTS IN THE VISIBLE AND ACCESSIBLE AREAS OF A WOODEN STRUCTURE. THIS REPORT IS MADE ON THE BASIS OF WHAT WAS VISIBLE AND ACCESSIBLE AT THE TIME OF THE INSPECTION (HEREAFTER DEFINED AS "THE DATE INSPECTION WAS PERFORMED") FOR THE STRUCTURE(S) LISTED. DETACHED GARAGES, SHEDS, LEAN-TOS, FENCES, OR OTHER BUILDINGS ON THE PROPERTY WILL NOT BE INCLUDED IN THIS INSPECTION REPORT UNLESS SPECIFICALLY NOTED. THIS REPORT IS NOT A WARRANTY AS TO ABSENCE OF WOOD DESTROYING INSECTS, OR HIDDEN DAMAGE, OR THE PRESENCE OF ALL CONDITIONS CONDUCTIVE TO WOOD DESTROYING INSECT INFESTATIONS. ANY EVIDENCE OF CONDITIONS SURROUNDING TOXIC MOLD, MILDEW OR FUNGUS WILL NOT BE PART OF THIS REPORT. THE CUSTOMER SHOULD HAVE A QUALIFIED EXPERT INSPECT THE BUILDING FOR ANY MOLD CONCERNS. IF VISIBLE EVIDENCE OF ACTIVE OR PREVIOUS INFESTATION OF WOOD DESTROYING INSECTS COVERED BY THIS REPORT (I.E., SUBTERRANEAN TERMITES, DRYWOOD TERMITES, RE-INFESTING WOOD BORING BEETLES, CARPENTER ANTS AND CARPENTER BEES) IS REPORTED, IT SHOULD BE ASSUMED THAT SOME DEGREE OF DAMAGE IS PRESENT. IF VISIBLE DAMAGE IS REPORTED, IT DOES NOT IMPLY THAT DAMAGE SHOULD BE REPAIRED OR REPLACED. THIS REPORT IS NOT A STRUCTURAL DAMAGE REPORT. THE ABOVE NAMED FIRM'S INSPECTORS ARE NOT ENGINEERS OR BUILDERS, AND YOU MAY WISH TO CALL A QUALIFIED ENGINEER OR EXPERT IN THE BUILDING TRADE TO ASCERTAIN THEIR OPINION AS TO WHETHER THERE IS STRUCTURAL DAMAGE TO THIS PROPERTY AND IF CORRECTIVE ACTION SHOULD BE PERFORMED BY A QUALIFIED BUILDING EXPERT. IF COMPANY PERFORMING INSPECTION DOES NOT HAVE CURRENT WOOD DESTROYING INSECT TREATMENT CONTRACT IN FORCE ON PROPERTY NOTED ON THIS FORM, THIS INSPECTION DOES NOT COVER ANY REPAIR OF CONDITION OR DAMAGE, OR TREATMENT OF AREA WHICH WAS NOT VISIBLE AND ACCESSIBLE AT TIME OF INSPECTION, BUT WHICH MAY BE REVEALED IN THE COURSE OF REPAIR OR REPLACEMENT WORK. IF CURRENT WOOD DESTROYING INSECT TREATMENT CONTRACT IS IN FORCE, WARRANTY IS BASED ON THE TERMS OF TREATMENT CONTRACT.
- B. THIS REPORT IS NOT AN OPINION COVERING AREAS THAT ARE ENCLOSED OR INACCESSIBLE, OR OF ANY PORTION OF THE STRUCTURE IN WHICH INSPECTION WOULD NECESSITATE REMOVING OR DEFACING ANY PART OF THE STRUCTURE. SECTION B (1-5) LIST EXAMPLES OF OBSTRUCTED OR INACCESSIBLE AREAS, BUT NOT LIMITED TO, THAT MAY BE COMMON TO STRUCTURES THAT WILL NOT BE LISTED ON PAGE 1 OF THIS REPORT AND/OR IN ADDITIONAL COMMENTS:
1. JOISTS HIDDEN (a) suspended ceiling (b) fixed ceiling (c) insulation (d) floor over joists (e) all spray foam insulation
 2. WALL COVERINGS (a) paneling (b) dry wall (c) plaster (d) tile (e) cabinets (f) shelving (g) wallpaper (h) inaccessible bath trap (i) all spray foam insulation
 3. FLOOR COVERINGS (a) tile (b) carpet (c) rugs (d) linoleum (e) built-ins
 4. ROOF RAFTERS HIDDEN (a) suspended ceiling (b) fixed ceiling (c) insulation (d) all spray foam insulation
 5. RAISED FLOORING (a) flooring elevated with sleepers beneath
- C. THIS REPORT IS NOT AN OPINION COVERING AREAS THAT ARE ENCLOSED OR INACCESSIBLE, OR OF ANY PORTION OF THE STRUCTURE IN WHICH INSPECTION WOULD NECESSITATE REMOVING OR DEFACING ANY PART OF THE STRUCTURE. OR REMOVING OR MOVING ITS CONTENTS. SECTION C (1-4) LIST EXAMPLES OF OBSTRUCTED OR INACCESSIBLE AREAS, BUT NOT LIMITED TO, THAT (IF PRESENT) ARE REQUIRED TO BE LISTED ON PAGE 1 OF THIS REPORT AND/OR IN ADDITIONAL COMMENTS:
1. PERSONAL POSSESSIONS (a) stored material (b) boxes (c) pictures (d) clothing (e) furniture (f) appliances
 2. EXTERIOR (a) dense shrubbery (b) siding (c) window well covers (d) planters (e) brick and stucco below the soil
 3. PORCH (a) no access or entry beneath floor surface (b) debris
 4. ADD'L ITEMS (a) standing water (b) debris (c) firewood (d) no access or entry (e) absence of safe or stable access (f) inaccessible attic (g) leaking roof (h) faulty plumbing (i) earth-wood contact (j) wooden decks (k) hidden expansion joints (l) less than 18 inches of clearance
- D. CONDUCTIVE CONDITIONS INCREASE THE LIKELIHOOD OF WOOD DESTROYING INSECT AND ORGANISM ACTIVITY. CONDUCTIVE CONDITIONS LISTED ON THIS REPORT ARE ONLY IN AREAS THAT WERE VISIBLE AND ACCESSIBLE AT THE TIME OF THE INSPECTION. THE FOLLOWING IS A LIST OF CONDUCTIVE CONDITIONS LIMITED TO THIS REPORT THAT (IF PRESENT) MUST BE LISTED ON PAGE 1 OF THIS REPORT AND/OR IN ADDITIONAL COMMENTS:
1. STANDING WATER
 2. POOR VENTILATION
 3. VEGETATION OR VINES CLOSE OR ON STRUCTURE
 4. CRACKS IN FOUNDATION
 5. LEAKS
 6. WOOD TO GROUND CONTACT
 7. HIGH SOIL (exposed brick, stucco, or Exterior Insulation and Finishing System (EIFS) into the ground are examples)
 8. MULCH, LANDSCAPE TIMBERS, STUMP OR ROOTS AGAINST OR UNDER THE STRUCTURE
 9. VISIBLE WATER DAMAGE
 10. VISIBLE MOISTURE
 11. VISIBLE WOODROT FUNGUS
 12. ALL SPRAY FOAM INSULATION
- E. VISUAL EVIDENCE OF PREVIOUS TREATMENT IS DEFINED AS VISUAL EVIDENCE OF PREPARATION FOR TREATMENT. SOME EXAMPLES INCLUDE: DRILL HOLES IN MASONRY VOIDS, DRILL HOLES IN SLABS OR FLOORING, TRENCHING OR TRENCHING AND RODDING AROUND PERIMETER OR IN CRAWL SPACES OR PRESENCE OF TERMITE BAITING STATIONS. IF COMPANY PERFORMING THIS INSPECTION DID NOT PREVIOUSLY TREAT THIS STRUCTURE AND CHECKS "YES" ON PAGE 1 FOR VISUAL EVIDENCE OF PREVIOUS TREATMENT, THIS INDICATES THE STRUCTURE WAS TREATED BUT NO COMMENT IS MADE AS TO WHETHER OR WHEN THE STRUCTURE WAS TREATED CORRECTLY.
- F. NEITHER I NOR THE COMPANY FOR WHICH I AM ACTING HAVE HAD, PRESENTLY HAVE, OR CONTEMPLATE HAVING ANY INTEREST IN THE PROPERTY. I DO FURTHER STATE THAT NEITHER I NOR THE COMPANY FOR WHICH I AM ACTING IS ASSOCIATED IN ANY WAY WITH ANY PARTY TO THIS TRANSACTION UNLESS FULL DISCLOSURE OF ANY KNOWN ASSOCIATION IS PRINTED IN THE ADDITIONAL COMMENTS SECTION OF THIS FORM.

PRIVACY ACT INFORMATION – THE INFORMATION REQUESTED ON THIS FORM WILL BE USED FOR EVALUATING THE PROPERTY FOR A VA OR HUD INSURED LOAN. ALTHOUGH THE BORROWER IS NOT REQUIRED BY LAW TO PROVIDE THIS INFORMATION, FAILURE TO PROVIDE IT CAN RESULT IN REJECTION OF THE PROPERTY AS SECURITY FOR THE LOAN. THE INFORMATION COLLECTED WILL NOT BE DISCLOSED OUTSIDE VA OR HUD EXCEPT AS PERMITTED BY LAW. VA AND HUD ARE AUTHORIZED TO REQUEST THIS INFORMATION BY STATUTE (38U.S.C. 1810(D) (4) AND 12 U.S.C. 1701 OF SEQ.)

ADDITIONAL COMMENTS (If additional pages are needed for comments, note number of pages added in comments and attach):
