

Attract More Wildlife *through Timber Management*



The 19.8 million acres of Mississippi forestland are valuable and produce many renewable natural resources benefits, including timber, recreational opportunities, watershed and erosion protection, and wildlife.

Unfortunately, many landowners are unaware of the many benefits forestlands can provide. For example, many people believe that unmanaged “natural” forests are best for game. Consequently, the average acre of Mississippi forestland produces less than its potential in both timber and wildlife habitat. Properly managed forests not only yield greater amounts of wood products, but can provide high-quality habitat for many of the state’s most valuable wildlife species.

Timber management and wildlife management work well together. Often, today’s landowners receive additional income from recreational leases as a result of their more diverse timber and wildlife management programs. Supplemental income from this practice can be significant and is often used to pay for items such as property tax liability.

Where to Start?

A common reason for leaving forestland unmanaged is the landowner’s idea that it is too costly to begin a forest management program. The essential first steps are planning and making decisions to keep costs low.

Prioritize your management objectives by stand. A property may have multiple stands with a variety of management objectives depending on stand characteristics or goals for wildlife management. For example, the primary objective for one stand could be timber, and the objective for another might be quail habitat.

Professional help is as near as your telephone and is often free. Many agencies, such as the Mississippi Forestry Commission, provide free services to help you identify your management goals and plan activities to reach those goals. Private consultants offer similar services. In this phase, you will write a management plan that states your

goals for the property and a schedule of management practices you will use to help you meet them.

When implementing the plan, the practices you use can be adjusted to meet your goals and budget. For example, if turkeys are a management objective, you will need to provide forest openings for nesting and brood-rearing habitat. You can do this by harvesting small areas, making fire lanes and access roads, or improving and maintaining existing forest openings. See the end of this publication for a list of professional contacts.

Wildlife Needs

Many of Mississippi’s wildlife species depend on the forest to live. Some, such as deer, turkeys, and squirrels, spend most of their lives in the forest. All wildlife have four basic needs: food, water, space, and cover. Generally speaking, wildlife will prosper in areas with multiple habitat types. A diverse forest habitat combines different timber types, age classes, and stand conditions in one area.

Some forest stands provide diversity; but if yours does not, you can supply it in several ways. Often only minor efforts are needed to manipulate the habitat so that it becomes more attractive to your target wildlife species. Even-aged timber management can provide diversity by locating different age stands close to one another. For example, research has shown that properly managed clear-cut areas close to young and mature pine timber stands provide excellent quail habitat for several years.

Additionally, when developing a wildlife management program, it is important to look closely at nearby properties and consider how they will influence your wildlife program. This is a key element of forest stewardship and is especially true when managing small ownerships. For example, money and effort spent in a turkey management program to create openings in a small forest next to an existing opening might be better used to implement some other practice that aids in obtaining your overall management goals.

Management Techniques

For many years, foresters and wildlife managers have noted the value of forest openings for wildlife. Timber harvesting creates openings that may be large, as with clear-cutting, or small, as with selection harvests. Other disturbances, such as prescribed burning and herbicide application, can greatly improve wildlife habitat for many species and benefit timber production. Combining appropriate forest management techniques into your management plan can prove beneficial to both wildlife and timber improvement.

Cutting Methods for Regeneration

Regeneration cutting is removing trees from an area to allow regeneration of a new forest. In clear-cutting, all trees are harvested at the same time, whereas in seed tree and shelterwood harvests, many high-quality trees are retained until the forest regenerates naturally. After desirable regeneration is obtained, remaining overstory trees are removed so that the newly regenerated forest can grow. These cutting techniques are used to harvest marketable crops of timber and to create the best environment for young trees to grow.

Following a harvest, many shade-intolerant plants begin to grow in the opening. Wildlife often prefer the highly palatable and nutritious plant species that arise in these settings. Additionally, due to increased light and nutrient availability in these openings, these plants often provide comparably greater quantities of available fruit and seed for food.

Many landowners are concerned with the negative impacts of harvests on wildlife. However, negative effects can be reduced by considering the size, shape, and distribution of harvested areas in your harvest plan. Small (20 to 100 acres), irregularly shaped cuts next to larger stands of different ages will provide a diverse habitat preferred by many wildlife species. You can use these methods to regenerate pine and hardwood stands.

Improvement Cuttings

During the natural development of a forest, young trees compete for the space, light, water, and nutrients needed for growth. Some species, and individual stems of a given species, will outcompete others and become

dominant in the forest. The dominant trees in an even-aged forest are typically large and fast-growing.

The purpose of improvement cuttings (including, but not limited to, thinnings) is to remove trees of species undesirable to your management goals, trees that are damaged or unhealthy, trees that are of low quality, or trees that you do not think will survive until the next cutting. Foresters use improvement cuttings to improve the overall quality of a forest. Such harvesting creates space for crop trees to grow and allows more sunlight to reach the forest floor. This light aids the growth of many low-growing plants valuable for wildlife.

However, these benefits are short-lived. In a few years, the forest canopy will close again and shade out many of the forage plants that were established after the harvest. Later improvement cuts can be made to help wildlife and increase the stand's timber value.

Some wildlife species need "cavity trees" for nesting and shelter. Therefore, when implementing an improvement cut, mark and keep several good cavity trees per acre. Cavity trees should be selected based on the presence of an existing cavity that is large enough to be used by wildlife species of interest. Often, cavity trees are food-producing species, such as oak, hickory, blackgum, beech, or baldcypress. These are useful to many wildlife species, and leaving them does not result in a significant decrease in timber production.

Prescribed Burning

Prescribed burning is a silvicultural practice used to accomplish a stand's management objective. Fire promotes an early successional stage in the understory of a timber stand. The periodic use of prescribed fire or "burn cycle" can be used to maintain these early successional stages. Early successional stages provide ample amounts of cover and forage for wildlife.

Burn frequency depends on the species of wildlife you are attempting to attract. For example, when managing pines to maximize the potential for quail, you should burn more frequently than if managing for deer. Think about what your target wildlife feeds on, as well as its preferred cover type. In the case of quail, you are trying to produce as many seeds and insects as possible while maintaining cover approximately 2 feet high. Conversely, deer would

have difficulty finding sufficient cover in optimal quail habitat and prefer more herbaceous or woody browse.

As previously discussed, often it is better to have a diversity of cover types and forage on your property. This can be achieved using a burn rotation. A burn rotation is simply a schedule for burning a portion of your property on a yearly, or multi-year, basis. Rotating the timing of burning on different portions of your property allows for a variety of different successional stages at all times. This system yields a more diverse habitat, and lowers both workload and burning expenses for the landowner compared to burning the entire property on a yearly basis.

The early successional plants you are promoting using prescribed fire have the same essential needs as your timber stand. If the desired understory is not obtained in the year following a burn, you may need to perform a thinning operation. Removing selected stems in the stand will allow more light, water, and nutrients for the understory. Other advantages of a properly conducted burn include wildfire fuel reduction, woody and herbaceous weed control, and improved visibility and accessibility.

Prescribed burning is a valuable tool for forest and wildlife management, but it must be used properly. Contact your local Extension agent, Extension forestry specialist, or a registered forester for help in locating a certified prescribed burn manager in your area. A certified prescribed burn manager has met the qualifications mandated by the state of Mississippi to perform prescribed burning. He or she will create a written burn plan specific to your property and management objectives, and will obtain the required burn permit before performing the burn. This burn manager and plan must be on-site the day of the burn to ensure that the burn is carried out correctly and for liability purposes.

Forest Herbicides

Forest herbicides are a valuable forest management tool. Today's forest herbicides are safe and economical to use in a forest management program. They are used in site preparation, stand improvement, vegetation control, and wildlife habitat improvement. Herbicides are used in pine and hardwood timber management.

Compounds have been developed that can be applied over the top of pines and hardwoods to control competing vegetation without harm to crop trees. Additionally,

herbicide applications can be tailored to management objectives and help obtain more desirable herbaceous species at ground level. For example, herbicides containing imazapyr can be used to selectively control less nutritious vegetation on the forest floor while leaving the more palatable legumes for wildlife use.

Firebreaks and Access Roads

The foundation of a good forest management plan is an adequate network of firebreaks and access roads. Foresters recommend these to landowners for forest protection. However, their role is twofold because fire lanes and roads are openings and also are important areas for wildlife.

Turkey, quail, and other wildlife will use fire lanes and roads for feeding, nesting, and brood-rearing. Deer will be attracted to them for food and may use them for traveling. Establishment of favorite wildlife foods, such as grasses and forbs, in fire lanes and along roadsides will improve wildlife benefits.

An Example

Mr. Anderson works for a manufacturing company in a small city and in the next county has 85 acres of forestland inherited from his grandfather. He wants to make some income from the timber but doesn't want to clear-cut his property for fear of ruining his hunting opportunities. Turkey and white-tailed deer are his preferred species, but squirrel hunting is important, too.

His property has a 20-acre stand of young hardwood sawtimber along a stream and 45 acres of 25-year-old oak-pine timber. The remaining 20 acres are a 15-year-old pine plantation that has never been managed.

Mr. Anderson consulted a forester and developed a management plan to establish a few roads and firebreaks to provide access and fire protection for his property. These will also serve as wildlife openings and as a food source for deer and rabbits.

An improvement cut in the hardwood stand favoring oaks will increase acorn production, and oak crop trees will increase in size and value. He will take care to mark and leave several cavity trees per acre for gray squirrels.

He plans to thin the pine plantation so more valuable trees will have space for further development. After thinning, he will use prescribed burning every third year to maintain deer and turkey habitat. Prescribed burning will

be performed in late winter (February or March) to avoid turkey-nesting season. He also plans to thin his plantation again when practical, probably 6 to 8 years after the first thinning.

Mr. Anderson decided to manage the oak-pine stand for pine timber production. However, on 1 acre near the pine plantation, he decided to keep some large oak and hickory trees as another wildlife food source.

The remaining oak-pine stand needed an improvement cut to remove the hardwoods and inferior pines. After the harvest, he will use prescribed burning, except in the wildlife food area previously marked.

As a result of this management plan, Mr. Anderson will receive extra income from his forestland and can expect greater profits from future harvests. The forest he has created will increase in value each year, while simultaneously providing high-quality habitat for multiple species of wildlife.

Forest management improves the forest environment for people, animals, and trees. Your forestland is valuable for the wildlife, timber, and other products and benefits produced there. Forest management can add to your pleasure and satisfaction of forest ownership and increase revenues, too.

Forestry Terminology

Some of the technical terms used in this publication may be unfamiliar. If you have any questions regarding their use, please consult Mississippi State University Extension Service Publication 1250 *Forestry Terms for Mississippi Landowners*.

Contacts

Mississippi Forestry Commission

See telephone listing for county service forester.

Mississippi Department of Wildlife, Fisheries, & Parks

1505 Eastover Drive, Jackson, MS 39205

Mississippi State University Extension Service

Contact your county Extension agent or area Extension forestry specialist.

Natural Resources Conservation Service

Contact local district conservationist.

Board of Registration for Foresters

Roster available.

PO Box 1884, Jackson, MS 39215

www.cfr.msstate.edu/borff

Publication 1446 (POD-02-16)

By **A. Brady Self**, Assistant Extension Professor, and **James D. Floyd**, former Extension Associate, Forestry, from an earlier edition by Robert Daniels, retired Extension Professor, and James Miller, retired Extension Outreach Research Scientist.



Copyright 2016 by Mississippi State University. All rights reserved. This publication may be copied and distributed without alteration for nonprofit educational purposes provided that credit is given to the Mississippi State University Extension Service.

Produced by Agricultural Communications.

We are an equal opportunity employer, and all qualified applicants will receive consideration for employment without regard to race, color, religion, sex, national origin, disability status, protected veteran status, or any other characteristic protected by law.

Extension Service of Mississippi State University, cooperating with U.S. Department of Agriculture. Published in furtherance of Acts of Congress, May 8 and June 30, 1914. GARY B. JACKSON, Director