

Calendar of Home Gardening Chores in Mississippi

Growing plants in the landscape or garden can be a fun task for Mississippi gardeners. Sometimes it can be difficult to remember when to do what. There are gardening chores that need to be done every month of each year. This publication will help guide you through the year toward a prettier and healthier landscape or garden.

January

Planning

- Record any plans on paper for changes or improvements in the garden. This will help avoid mistakes and save time, effort, and money.
- Order seeds early for planting because companies may run out of the more popular varieties.

Planting

- Set out dormant trees and shrubs. Container, bare-root, and balled-and-burlapped (B&B) plants are all available this time of year. The planting site should be well-drained. Place plants at or slightly above the existing soil level.
- Plant onions, poppies, and larkspur.

Fertilizing

- Apply lime to lawns if a soil test analysis recommends (any month).

Pest Control

- Spray dormant oil for scale control on broad-leaved evergreens and fruit trees.

Pruning

- Remove dead, diseased, or broken limbs on all trees and shrubs.
- Dispose of clippings to prevent spread of disease or insect issues.
- Clean pruners with alcohol or bleach after use.

Miscellaneous

- Keep bird feeders stocked. Provide water for birds.
- Collect scion wood for grafting and store in a cool, dry place.
- Protect tender plants during periods of extreme cold.

Home Accent

- Collect winter berries and tree needles for a winter potpourri. Mahonia and aucuba will root in water indoors and provide color from the outdoors.
- A small amount of sugar in the water will help prevent cut holly branches from losing berries. Wash and dust leaves of house plants.
- Inspect house plants for insects and diseases. Treat as needed with a safe indoor insecticide and fungicide.

Equipment


- Repair and sharpen mower blades and gardening tools.
- Order new pots and markers.
- Check condition of sprayers and repair or replace if needed.

Blooming

- Camellias, winter honeysuckle, winter jasmine, forsythia, flowering quince (South Mississippi).
- Pansies, violas.

Fruiting

- Dogwoods, yaupon hollies, Chinese hollies, cotoneasters, pyracanthas, nandinas.



February

Planning

- Decide on plants for spring garden and flower beds.
- Consider trying new plant varieties.
- Determine how many seed packets are needed; remember to order extra seed if planning for a second crop after the heat of the summer.

Planting

- Start cold-weather vegetables in a cold frame: broccoli, cauliflower, onion sets, English peas, kale, carrots, collards, beets, radishes, kohlrabi, Chinese cabbage, and eggplant (South Mississippi).
- Plant asparagus in prepared beds.
- Start herb and vegetable seeds indoors to transplant outdoors in early April.
- Plant ornamental trees and fruit trees.
- Plant new roses or move old roses.

Fertilizing

- Fertilize trees and shrubs (not spring-flowering shrubs) toward the end of the month (South Mississippi). Follow soil sample recommendations or use a slow-release, complete fertilizer.
- For roses, apply a top-dressing of fertilizer under a thick layer of compost or mulch.


Pest Control

- Spray the orchard with dormant oil spray to help control insect eggs and disease spores. Do not apply if temperatures are expected to dip below freezing within 4 hours of application. Always read the pesticide label.

Pruning

- Prune evergreens for size and shape. Cut out any dead wood of flowering shrubs.

- Prune hydrangeas that bloom on the current season's growth during the last week in the month.
- Do not prune spring-flowering shrubs until after the bloom period is complete.
- Prune fruit trees and muscadine vines (not berries).



Home Accent

- Winter-blooming shrubs can be forced indoors by cutting stems when buds begin to swell and placing in water. The warmer indoor temperatures stimulate blooming. Place sprays of forsythia, flowering quince, oriental magnolia, or fruit trees in a vase in a sunny window.

Equipment

- Check tools for rust and clean if needed. Prevent future rust by lightly coating tool heads with mineral oil or used motor oil.

Blooming

- Flowering quince, saucer/star magnolia, forsythia, bridal wreath spiraea, fruit trees, azalea and royal paulownia (South Mississippi).
- Crocus, early daffodils, helleborus, hyacinths, pansies, snowdrops, snowflakes, violets.

Fruiting

- Dogwoods, pyracanthas, yaupon hollies, Chinese hollies, cotoneasters, nandinas.

March

Planting

- Set out most shrubs and trees.
- Cold-weather annuals: sweet William, English daisies, pansies, and calendulas.
- Divide mondo grass, liriopie, cannas, coreopsis, and phlox.
- Start seeds for tomatoes, bell peppers, hot peppers, and eggplant.
- Set out herbs such as thyme, lemon balm, oregano, chives, sage, and winter savory.
- Sow seeds of Johnny jump-ups, sweet peas, larkspur, and forget-me-nots.
- Shrubs may be moved at this time. It is best to take a large rootball to save the current root system.

Fertilizing

- Fertilize all ornamental shrubs and trees according to soil test results, or use a slow-release fertilizer.
- Top-dress azaleas and camellias with acid-loving fertilizer.
- Apply lime to peonies, clematis, and boxwoods.



Pest Control

- Spray new rose leaves for black spot disease weekly once leaves are fully emerged.

- A soil-drench rose disease control product can be used after leaves are fully developed (South Mississippi).

Pruning

- Prune roses. Remove dead and weak canes. Properly dispose of clippings.
- Prune crape myrtles and altheas for size and shape.
- Cut English ivy back hard.
- Trim mondo grass and liriopse to 4–6 inches tall. Dispose of trimmings.

Miscellaneous

- Dispose of fallen camellia blossoms to prevent blight.
- Pinch off dead flowers from tulips/daffodils. Wait until May to cut foliage, after it turns yellow and dies.
- Graft fruit trees with scion wood collected in January.
- Apply pre-emerge to turf to prevent crabgrass and other summer weeds (late February in South Mississippi).
- Mulch all landscape bed areas—3 inches in new beds and only 1 inch in existing beds. If using pine straw, place up to 3 inches deep.

April

Planting

- Set out most shrubs and trees.
- Divide violets, Shasta daisies, liriopse, ajuga, mums, and other perennials.
- Plant okra, melons, peas, corn, beans, eggplant, cucumbers, and tomatoes after last frost.
- Set out summer annuals if danger of frost has passed: ageratum, alyssum, begonias, geraniums, dianthus, celosia, marigolds, moss roses, petunias, impatiens, coleus.
- Plant summer/fall blooming bulbs: callas, cannas, dahlias, gladiolus, and gloriosa lilies.

Fertilizing

- Fertilize vegetables at planting according to recommendations.
- Fertilize shrubs if not done in March.

Pruning

- Prune azaleas and other spring-flowering shrubs after blooming.
- Disbud roses and peonies for specimen flowers.
- Lightly shape any formal hedges to remove new growth.

Home Accent

- Divide or repot overgrown houseplants. Cut back weak parts to encourage new growth. Apply liquid fertilizer every 2 weeks or as labeled.

Blooming

- Okamee cherries, plums, pears, apples, Chinese snowballs, showy jasmines, redbuds, dogwoods, cherry laurels, maples, Japanese hollies, azaleas, sweet olives, weigelas, wisterias, flowering almonds, Lady Banks roses, buckeyes, knockout roses, mock oranges, fothergillas, royal paulownias.
- Bluebells, daffodils, hyacinths, early irises, pansies, violets.

Fruiting

- Maples, leatherleaf mahonias, yaupon hollies, Chinese hollies, cotoneasters, nandinas, high-bush blueberries (South Mississippi).

Miscellaneous

- Paint and repair garden furniture and other hardscapes (bird baths, bird houses, mailbox, deck).
- Buy azaleas in bloom to be sure of color.
- Always mulch new plantings to help ensure success.
- A soil-drench rose disease control product can be used after leaves are fully developed (North Mississippi).

Blooming

- Encore azaleas, blueberries, fringe trees, blackberries, pyracanthas, hawthorns, pittosporums, Japanese snowballs, pieris, cliftonia, ginkgos, deutzia, sweetshrubs, sweetspires, cotoneasters, oakleaf hydrangeas, roses, spiraea, rhododendrons, ninebarks.
- Ajuga, alyssum, bleeding-hearts, candytufts, columbines, daffodils, daisies, daylilies, forget-me-nots, grass pinks, irises, Jacob's ladder, lilies-of-the-valley, pansies, phlox, primroses, ranunculus, shooting stars, sweet Williams, thrifts, tulips, vincas, violets.

Fruiting

- Maples, leatherleaf mahonias, Chinese hollies, nandinas, blueberries (South Mississippi).



May

Planting

- Select and plant crape myrtles when in bloom.
- Plant annuals and perennials early in the month, and keep well-watered.
- Take hydrangea cuttings and let root in coarse sand.
- In the shade, plant impatiens, coleus, sweet alyssum, lobelia, and annual dianthus.
- In full sun, plant verbenas, periwinkle, ageratum, marigolds, zinnias, petunias, wax begonias, clematis, four-o'clocks, and portulaca.
- Plant cucumbers, tomatoes, peppers, squash, peas, beans, eggplant, corn, okra, parsley, watermelons, and cantaloupes.

Fertilizing

- Fertilize warm-season turfgrass after it turns green and has been mown twice.
- Fertilize all ornamental shrubs if not done in March or April.

Pest Control

- Scout for garden pests and diseases: red spiders, thrips, aphids, lacebugs, lacewings, mealy bugs, caterpillars, slugs, snails, mildew, fungus, and crown rot.

Pruning

- Prune azaleas, camellias, and gardenias after flowers drop and before new buds form.
- Cutting bouquets regularly will keep your plants pruned and prolong the blooming season. Cut in early morning or late afternoon and put into water immediately.
- Graft pecans using the four-flap method.

Home Accent

- Repot house plants during their active growing period: April through September.
- Repot and divide overwintered ferns.

Blooming

- Big leaf magnolias, pineapple guavas, southern magnolias, gardenias, abelias, Texas sage, gumbo azaleas, smoketrees, chastetrees, crepe myrtles, roses of Sharon, buddleias, cleyeras.
- Begonias, impatiens, salvias, geraniums, clematis, phlox, sweet William, deutzia.

Fruiting

- Green ashes, aucubas, blueberries, redbuds, wisterias.



June

Planting

- Plant crape myrtles in bloom to be sure of color.
- Plant warm-season grasses: Bermuda, centipede, zoysia, and St. Augustine (May to August).
- Replace turf in deep shade with ground cover: lirioppe, ajuga, vinca, or pachysandra.
- Summer annuals: ageratum, cockscomb, impatiens, marigolds, sunflowers, four-o'clocks, and periwinkle.
- Plant tomatoes late this month to ensure harvest late into fall. Cherry tomatoes and Bella Rosa varieties are good choices for heat tolerance.
- Select daylilies in bloom for planting in the garden.
- Plant zinnias and marigolds now for a second crop of flowers.
- Gladiolus planted now will give lovely fall blooms.

Fertilizing

- Fertilize all ornamental shrubs/trees and annuals/perennials with a slow-release fertilizer.
- Fertilize camellias with azalea-camellia fertilizer if not done earlier in the year.
- Fertilize tomatoes, cucumbers, and zucchini monthly with 5-10-10 and calcium nitrate.

Pest Control

- Scout the landscape/garden regularly for pests and treat as needed.
- Remove zinnias with powdery mildew and replant.

Pruning

- Prune blueberries after harvest ends.
- Pinch dahlias and mums to ensure a compact growth habit.
- Remove blackberry fruiting canes after harvest. Prune new canes to encourage side branching.
- Remove faded flowers from daisies, daylilies, and other summer flowers.

Blooming

- Chinese parasols, golden raintrees, cletheras, catalpas.
- Ageratum, balloon flowers, bee balm, begonias, butterfly weeds, coreopsis, cornflowers, gladiolus, hollyhocks, nicotianas, petunias, phlox, scabiosas, Shasta daisies, verbenas.

Fruiting

- Green ashes, aucubas, blueberries, redbuds, peaches.



July

Planting

- Plant pumpkin seeds for a Halloween harvest. Larger varieties need to be planted in early July.
- Root cuttings of azaleas, boxwoods, camellias, and gardenias in a fine pine bark/coarse sand mix. Cuttings should be 4–6 inches from new growth with lower leaves removed. Do not let dry out.
- Root cuttings for house plants: ivies, wandering Jews, philodendrons, and begonias.

Fertilizing

- Do not fertilize camellias after July 1.
- Fertilize chrysanthemums around July 15 and cut height in half.
- Fertilize turf if recommended by a soil test.

Pruning

- Remove faded flowers from crape myrtle to encourage a second blooming.
- Cut back mum height by half before July 15.
- All vegetables must be picked regularly to ensure continued bearing.
- When cutting boxwoods into a hedge, make sure the bases are wider than the tops to allow sunlight to reach the bases of the plants.

- Prune roses to encourage blooms.
- Prune blueberries and blackberries after harvest ends.

Miscellaneous

- Water all ornamentals weekly to a depth of 1 inch if it does not rain.
- Cut grass at a slightly higher level during hot weather to reduce stress.
- Treat turf with a post-emergent herbicide product to remove unwanted weeds.

Home Accent

- Do not leave house plants indoors over an extended vacation. Either water and place them under a shade tree or have someone water them.

Blooming

- Sourwoods, Pee Gee hydrangeas.
- Cleomes, four-o'clocks, impatiens, marigolds, periwinkles, plumbagos, portulaca, ageratum, zinnias, butterfly weeds, cosmos, dahlias, daylilies, rudbeckias, scabiosas, Shasta daisies, verbenas, veronicas.

Fruiting

- Aucuba, royal palownias, peaches, apples, pears, blackberries.



August

Planning

- Plan beds for bulbs. Order tulips, hyacinths, irises, daffodils, narcissus, and amaryllis.

Planting

- Plant daylilies in a sunny location. They need to be well-established before winter.
- Divide and transplant Louisiana irises, Easter lilies, cannas, liriopse, ajuga, and Shasta daisies. Keep watered.
- Plant mums for September bloom and fall color.
- Plant marigolds, asters, zinnias, and celosia to replace faded annuals.
- Plant seeds of calendulas, columbines, English daisies, forget-me-nots, pansies, and violets.

Fertilizing

- If acid-loving plants, including azaleas, camellias, and gardenias, show signs of chlorosis (yellowing of leaves), treat with iron chelate.
- Feed mums with a complete fertilizer every 2 weeks and water thoroughly.
- Apply last round of fertilizer to warm-season turf according to a soil test.

Pruning

- Cut back annuals such as impatiens and vincas to encourage fall blooms.
- Disbud camellias, dahlias, and chrysanthemums to produce specimen blooms.
- Cut back rose canes to 24–30 inches from the ground for autumn blooms.

Watering

- Water your garden and turf deeply but infrequently throughout the month.
- Water early in the morning if possible.
- Water potted plants and hanging baskets daily.
- Make sure azaleas, camellias, and fruit plants stay well-watered as they form flower buds for next year.

Miscellaneous

- Mow weekly and leave clippings on the lawn.
- Turn the compost pile.
- Feed the birds.
- Don't fertilize ornamentals after August 15.



Blooming

- Pampas grass.
- Ageratums, angel's trumpets, balsams, begonias, caladiums, cannas, celosia, clematis, dahlias, four-o'clocks, lilies, hostas, impatiens, marigolds, periwinkles, phlox, portulacas, rattle boxes, salvias, zinnias.

Fruiting

- Golden raintrees, beautyberries, apples, pears.

September

Planning

- Build or buy a compost bin in anticipation of autumn leaves.

Planting

- Plant cool-season vegetables: broccoli, cauliflower, brussels sprouts, cabbage, spinach, potatoes, lettuce, carrots, beets, radishes, and English peas.
- Sow hardy annuals: sweet alyssums, calendulas, annual pinks, snapdragons, and sweet peas.
- Sow rye grass seed in winter lawns (only when necessary).

Fertilizing

- Stop feeding mums when the buds start showing color.
- Apply potassium for winterization if needed.

Miscellaneous

- Apply pre-emerge herbicide to the lawn for winter weed prevention.
- Turn the compost pile.

- Propagate by layering: Scrape the underside of a strong branch, bend it down to the ground, cover with soil, and weigh down with a brick. Check for roots after 3 months.
- Pick flowers in bloom and dry them for future arrangements. Bundle flowers together and hang them upside-down in a dry, sheltered area.
- Repot houseplants. Prune away damaged foliage and apply fertilizer.



Blooming

- Cannas, cosmos, copper plants, marigolds, periwinkles, salvias, ageratums, coleus, asters, celosias, chrysanthemums, coral vines, ginger lilies, morning glories, petunias, phlox, rattle boxes, spider lilies, torenias, vincas.

Fruiting

- Golden raintrees, beautyberries, dogwoods, ginkgos, pyracanthas.

October

Planting

- Plant spring-flowering bulbs, except tulips and hyacinths. Place these in the refrigerator for 6 weeks before planting in late December or early January.
- Pot basil, chives, parsley, rosemary, and sage for your sunny kitchen window.
- Plant annuals: pansies, violas, pinks, flowering cabbage and kale, English daisies, wildflowers, larkspurs, and Queen Anne's lace.
- Plant perennials: asters, salvias, hollyhocks, daylilies, baby's breath, irises, Shasta daisies, peonies, and phlox.

Fertilizing

- Test soil in your garden to monitor the balance of minerals.
- Apply pre-emerge herbicide to the lawn if you have not already.

Pruning

- Remove damaged and dead wood from trees.
- Pick the blossom-like fruit of golden rain trees, and let dry for winter arrangements.

Miscellaneous

- Dig up caladiums with foliage intact, allow to dry, remove dried foliage, and store in peat moss in a cool, dark place for replanting next year.
- Force bulbs for indoor show (paper-white, narcissus, lilies of the valley, jonquils, or hyacinths). Place the bulb on gravel and water enough to cover the roots; keep in a dark place until the root system is established and sprouts reach 3 inches. Bring gradually into the light and refill the container with water to the original level.



- Make sure birds have food, shelter, and water.
- Place leaves in the compost bin or mulch them with a lawn mower.

Blooming

- Camellia sasanquas.
- Mums, marigolds, periwinkles, salvias, sasanquas, golden raintrees, roses, ageratums, asters, camellias, celosias, colchicums, dahlias, petunias, salvias, zinnias.

November

Planting

- Plant shrubs and trees after the soil cools.
- Plant summer-blooming perennials: irises, daylilies, and daisies.
- Plant winter and spring annuals: pansies, pinks, and flowering cabbage and kale.
- Root rose cuttings and other woody ornamentals.

Pruning

- Remove dead limbs and lightly prune evergreen shrubs.
- Cut off tops of brown perennials; leave roots in the soil.
- **Do not prune** spring-flowering shrubs, such as azaleas, hydrangeas, mock oranges, spireas, and flowering quince, because flower buds are already forming.
- **Delay pruning** of most trees and shrubs until February since any new growth stimulated by pruning may be killed by a sudden freeze.

Fruiting

- Golden raintrees, beautyberries, dogwoods, ginkgos, pyracanthas, apples, yaupons.

Miscellaneous

- Put leaves and spent annuals into the compost bin.
- Add mulch to the garden and all ornamental beds for winter protection.
- Repair and sharpen garden tools; store with a light coating of oil to prevent rusting.
- Build bird feeders and houses.

Blooming

- Impatiens, cannas, roses, witch hazel, gerber daisies, sweet olives, camellias, sasanquas, Japanese plums, poinsettias.

Fruiting

- Dogwoods, pyracanthas, yaupons, Chinese hollies.



December

Protecting

- Protect moveable plants from sudden changes in temperature by bringing indoors.
- Protect tender plants by placing layers of mulch or pine straw to a depth of 6–8 inches.
- Water plants well if there is a frost warning. Otherwise, water as the plants begin to thaw.

Planting

- At the end of the month, plant tulips and hyacinths that have been in the fridge for 6 weeks.
- Plant many types of bare-root fruit, nut, or citrus trees.
- Plant dormant shrubs: azaleas, camellias, nandinas, wax Ligustrum, Indian hawthornes, pyracanthas, mock oranges, hydrangeas, flowering quince, and spireas.
- Plant herbs for a sunny window: tarragon, chives, oregano, marjoram, and rosemary.

Pruning

- Prune trees to remove damaged or dead wood only.
- Cut off the tops of brown perennials; leave roots in the soil.
- Do not prune spring-flowering shrubs.
- Ferns will come back from the ground; cut back brown fronds.
- Cut mistletoe out of trees.

Indoor Plants

- House plants to consider: African violets, amaryllises, begonias, bromeliads, Christmas cacti, dieffenbachias, ferns, philodendrons, scheffleras, and weeping figs.
- Feed houseplants twice during the winter months.



Miscellaneous

- To maintain a live Christmas tree in good condition, mix in a 2-liter bottle: 8 oz non-diet soda, 2 oz vinegar, and 1 oz mouthwash. Fill the bottle with water. Keep the base of the tree in this solution. After Christmas, have your tree turned into mulch.

Blooming

- Fatsias, Otto Luyken laurels.
- Narcissus, amaryllis.

Fruiting

- Beautyberries, dogwoods, pyracanthas, yaupons, burning bushes, Chinese hollies.

The woody ornamentals listed are some of the more popular plants that begin their flowering period during those months. Many of these bloom over multiple months and are not listed for each month. Plants may begin the bloom period 2–4 weeks earlier in coastal parts of South Mississippi. The annual and perennial flowers listed are some of the ones that do well during the months listed. The plants listed as fruiting are some of the more popular ones fruiting during the months listed. This list is not exhaustive. For more specific information, see these publications:

- [Publication 1012 *Care and Selection of Indoor Plants*](#)
- [Publication 1322 *Establish and Manage Your Home Lawn*](#)
- [Publication 2007 *Crape Myrtle: Flower of the South*](#)
- [Publication 2301 *Mulches for the Landscape*](#)
- [Publication 2303 *Protecting Plants from Cold Temperatures*](#)
- [Publication 3589 *Pruning Landscape Plants*](#)
- [Publication 3662 *Installing Trees and Shrubs*](#)
- [Publication 3705 *Azaleas for the Landscape*](#)
- [Publication 3952 *Propagating Plants for the Home Landscape*](#)

Publication 3437 (POD-02-26)

By **Jeff Wilson**, PhD, Associate Professor, North Mississippi Research and Extension Center; Casey Barickman, PhD, former Assistant Research Professor, North Mississippi Research and Extension Center; and Tim Ray, Extension Agent III, Harrison County.

Copyright 2026 by Mississippi State University. All rights reserved. This publication may be copied and distributed without alteration for nonprofit educational purposes provided that credit is given to the Mississippi State University Extension Service.

Produced by Agricultural Communications.

Mississippi State University is an equal opportunity institution. Discrimination is prohibited in university employment, programs, or activities based on race, color, ethnicity, sex, pregnancy, religion, national origin, disability, age, sexual orientation, genetic information, status as a U.S. veteran, or any other status to the extent protected by applicable law. Questions about equal opportunity programs or compliance should be directed to the [Office of Civil Rights Compliance](#), 231 Famous Maroon Band Street, P.O. 6044, Mississippi State, MS 39762.

Extension Service of Mississippi State University, cooperating with U.S. Department of Agriculture. Published in furtherance of Acts of Congress, May 8 and June 30, 1914. ANGUS L. CATCHOT JR., Director

