

DID YOU KNOW AT 1 MONTH I CAN...

Language Development

How can you help my language development? Look at me when you are bathing, feeding, or diapering me, and talk, sing, coo, gurgle, babble, and smile! I quickly catch on and will make sounds back to you. I am learning how to talk and listen. It is never too early to start reading to me. Read cloth books or board books with simple words and pictures to me. Sing short, simple, repetitive songs to me.




Cognitive Development

- Tell the difference between light and dark
- Watch a colored object if it is moved slowly
- Focus my eyes on objects 8–12 inches away
- Use all my senses of smelling, hearing, touching, tasting, and seeing to learn.

Put a plastic mirror about 7 inches from my eyes. I can watch myself, and you can talk to me about what I see. “Where’s the baby? There’s the baby!” You can cut out colorful pictures from magazines and tape them where I can see them.

Physical Development

I like to watch objects move, so buy a mobile to hang from the side of my crib. After a few weeks, I can move my head side to side.



This also helps my eyes grow. Walk around the house and outside with me. Stop often to look around and talk to me about the surroundings. Put me on my back on the floor or crib and call me from the right side. Try to attract my attention by moving your head and arms. At first, I might turn my head here and there. But when I find you, smile and talk to me. Do it again on the left side.

I should be breastfed or using formula. Keep me up-to-date on my shots and check-ups.

Social/Emotional Development

- Cry for many reasons: tired, wet, hungry, sick, or lonely. I will usually quiet down and feel better when I am picked up and cuddled.
- Respond to you if you smile, talk, and sing to me

Hold, cuddle, and rock me when I cry. Remember that crying is the only way I am able to communicate right now.

Even though I cannot talk yet, I love to be sung to. Sing “Rock-a-Bye Baby” to me.

Rock-a-bye baby,

On the treetop.

When the wind blows,

The cradle will drop.

When the bough breaks,

The cradle will fall.

And down will come baby,

Cradle and all.

You can also begin to help me learn my body parts with this “Baby’s Toes” fingerplay:

Here are baby’s hands (point to baby’s hands)

Here is baby’s nose (point to baby’s nose)

Here is baby’s belly (point to baby’s belly)

And here are baby’s toes! (point to baby’s toes)

Here are some books that I may enjoy:

Black & White by Tana Hoban

Look, Look! by Peter Linenthal

Goodnight Moon by Margaret Wise Brown

Pat the Bunny by Dorothy Kunhardt

Touch and Feel: Farm by DK Publishing

Each day, I should have supervised tummy time. Tummy time is important to help improve my motor skills and strengthen my muscles that are necessary to help me learn to crawl and walk. It also helps prevent flat spots from developing on the back of my head. Start out tummy time for

about 5 minutes two or three times a day. During tummy time, you can place me on a soft blanket on the floor with one of my favorite toys.

You can also make a homemade play mat for me during tummy time. You can use a piece of poster board or cardboard, markers, crayons, or pictures. Decorate the poster board or cardboard with designs using markers or crayons, or tape pictures to the poster board. Introduce and talk to me about these designs and pictures during tummy time.

Sleep helps me grow and develop. I should get 14–17 hours of sleep a day. To reduce the risk of sudden infant death syndrome (SIDS), place me on my back in an empty crib. An empty crib is important to prevent me from suffocating, so do not put bumper pads or stuffed animals in my crib.

Safety note: Any toys or materials that can fit inside a paper towel roll can be choking hazards for infants and toddlers. According to the American Academy of Pediatrics, any object handled by young children should be at least 1.25 inch in diameter and 2.25 inches long.

Remember that each child develops at his or her own rate, and this handout is meant only as a guide of what to expect of your child's development at this age.

For more information about parenting and developmental milestones, contact your county Extension office or visit extension.msstate.edu.

References

American Academy of Pediatrics. (2010). Policy statement—prevention of choking among children. Retrieved from <http://pediatrics.aappublications.org/content/pediatrics/early/2010/02/22/peds.2009-2862.full.pdf>

American Speech-Language-Hearing Association. (n.d.). Birth to one year: What should my child be able to do? Retrieved from <http://www.asha.org/public/speech/development/01/>

National Sleep Foundation. (2015). How much sleep do we really need? Retrieved from <https://sleepfoundation.org/how-sleep-works/how-much-sleep-do-we-really-need>

Safe to Sleep. (2015). Babies need tummy time! Retrieved from <https://www.nichd.nih.gov/sts/about/Pages/tummytime.aspx>



IS1601 (500-03-17)

By **Louise E. Davis**, PhD, Extension Professor; Elizabeth Thorne, MS, former Publications Specialist; and Michelle Cleveland, BS, Graduate Assistant, Human Sciences.

Copyright 2017 by Mississippi State University. All rights reserved. This publication may be copied and distributed without alteration for nonprofit educational purposes provided that credit is given to the Mississippi State University Extension Service.

Produced by Agricultural Communications.

We are an equal opportunity employer, and all qualified applicants will receive consideration for employment without regard to race, color, religion, sex, national origin, disability status, protected veteran status, or any other characteristic protected by law.

Extension Service of Mississippi State University, cooperating with U.S. Department of Agriculture. Published in furtherance of Acts of Congress, May 8 and June 30, 1914. GARY B. JACKSON, Director